

MC-125M4.25G-3R-SO

Tech Specs

MC-125M4.25G-3R-SO

Media Converter SFP to SFP, 125M to 4.25G, 3R, to be used in MC-16SLOT-CH-AC-SO, Jumbo MTU support, Solid Optics

1. PRODUCT SPECIFICATION & FEATURES

- Transmission rate: 125Mbps~4.25Gbps
- Support Jumbo Frame
- Transparent Transport and very low delay
- Support DMIfunction for SFP fiber module
- Support hot plugging
- Full State Led display
- Easy installation

3. ORDER INFORMATION

Model No	Description
MC-125M4.25G-3R-SO	Card, to be used in conjunction with chassis (MC-16SLOT-CH-AC-SO)
MC-125M4.25G-3RS-SO	Kit card (MC-125M4.25G-3R-SO) + 1 slot AC chassis

4.GENERAL SPECIFICATION

Items	Technical Indexes	
Access Type / Transmission Speed	Fast Ethernet	125Mbps
	STS-3/STM-1	155.52Mbps
	escon/sbcon	200Mbps
	STS-12/STM-4	622.08Mbps
	1×Fiber Channel	1.0625Gbps
	Gigabit Ethernet	1.25Gbps
	2×Fiber Channel	2.125Gbps

Items	Technical Indexes		
Access Type / Transmission Speed	STS-48/STM-16	2.48832Gbps	
	2.5 InfiniBand or PCI Express	2.5Gbps	
	4x Fiber Channel	4.25 Gbps	
Interface Type	SFP to/from SFP		
Transmission Distance	Up to SFP module (Max 80Km)		
Local SFP	Support SFP/CWDM/DWDM, Specific optical parameters (please refer different modules's parameters)		
Remote SFP	Support SFP/CWDM/DWDM,Specific optical parameters (please refer different modules's parameters)		
Power Requirement	Rack-mountable : AC 85 ~ 220V OR DC -48V dual-supply,optional Standalone: AC 220V OR -48V Power consumption: ≤ 3W		
Work Enviroment	Operating Temp: 0~ 50 °C Storage Temp: -10~ 70 °C Humidity: 5%~90% (non-condensing)		
Dimension	Card: 11.5mm (W) ×78mm (D) Standalone: 156mm (W)×128mm (D)×32mm (H)		

5. WARNING & SYMBOLS

Solid Optics EU N.V. has tested the equipment based on European legislation. It is safe to use, doesn't intervene with other electronic devices and it is not affected by interference from other Electronic devices



CE

Hazardous Goods; Our equipment complies with Directive 2011/65/EU (RoHS II) and 2002/95 EC (RoHS I).



Only (dis)connect the equipment in a EPA (ESD Protected Area) while using only certified equipment and taking all necessary precautions.

6. DISCLAIMER & COPYRIGHT

This document is written with the utmost care. Specifications, figures, data and illustrations provided in this document are based on information that is believed to be reliable and accurate. We don't accept any liability for damages derived from incomplete, inaccurate, outdated and/or otherwise incorrect specifications, figures, data or illustrations. We do not intend to suggest that we are the creators or trademark owners of any other manufacturers' products. Information is subject to change without notice. Solid Optics and the Solid Optics logo are registered trademarks of Solid Optics EU Holding N.V. All other trademarks are acknowledged as registered trademarks and proprietary to their respective owners. Copyright © 2019 Solid Optics EU N.V., Dutch Chamber of Commerce no. 39099087, all rights reserved. For more information visit www.solid-optics.com



Get in touch



EU Customer Support +31 (0) 88 342 3776 info@solid-optics.com



US Customer Support +1 855 678 4271 infous@solid-optics.com